

Cold Light Sources and Accessories

KL 1500 LCD, KL 2500 LCD

			SAP Article Code	Part Number	Price per piece
1. Cold light sources	KL 1500 LCD; 230v with fitted UK plug	for 230 V	1.96E-307		£377.24
	KL 1500 LCD; 230v Euro 2-pin plug	for 230 V	562442808	150 200	£377.24
	KL 1500 LCD; 120v US 2-pin plug	for 120 V	562442816	150 201	£391.03
	KL 2500 LCD; 230v with fitted UK plug	for 230 V	1075072		£647.59
	KL 2500 LCD; 230v with Euro 2-pin plug	for 230 V	562443007	250 200	£647.59
	KL 2500 LCD; 120v US 2-pin plug	for 120 V	562443015	250 201	£687.59
	UK plug adapter (optional; 1 per KL Euro model)	for 120 V	8.898E-302		FOC
2. Goose neck light guides	1 arm 4.5mm dia 600mm long		562009013	154 101	£93.60
	2 arm 4.5mm dia 600mm long	Ø 4.5 mm / 600 mm	562029418	154 202	£167.44
	3 arm 4.5mm dia 600mm long	Ø 4.5 mm / 600 mm	562029426	154 302	£227.24
3. Flexible light guides	1 arm, M-PVC 5mm dia 1000mm long	Ø 5.0 mm / 1600 mm	562009227	155 100	£84.14
	1 arm, M-PVC 5mm dia 1600mm long	Ø 5.0 mm / 1600 mm	562009038	155 102	£112.84
	1 arm, M-PVC 8mm dia 1000mm long	Ø 8.0 mm / 1000 mm	562009046	155 103	£151.32
	2 arms, M-PVC 4.5mm dia 1000mm long	Ø 4.5 mm / 1000 mm	562029434	155 204	£171.60
	2 arms, M-PVC 4.5mm dia 1600mm long	Ø 4.5 mm / 1600 mm	562029442	155 205	£208.00
	3 arms, M-PVC 4.5mm dia 1000mm long	Ø 4.5 mm / 1000 mm	562029459	155 206	£214.24
4. Flexible light guide only for KL 1500 LCD	1 arm, M-PVC 3.0mm dia 1000mm long	Ø 3.0 mm / 1000 mm	562009021	155 101	£78.52
5. Flexible light guides only for KL 2500 LCD	1 arm, M-PVC 12mm dia 1000mm long	Ø 12.0 mm	562009181	250 101	£222.04
	1 arm, M-PVC 15mm dia 1000mm long	Ø 15.0 mm	562009149	250 102	£275.60
	1 arm, M-PVC 15mm dia 1500mm long		1007710	250 103	£314.50
6. Ringlights	4-point ringlight, inner Ø = 30 mm		562029056	157 401	£292.76
	4-point ringlight, inner Ø = 66 mm		562029015	157 402	£293.80
	Continuous ringlight, inner Ø = 58 mm		562049017	157 410	£360.36
	Continuous ringlight, inner Ø = 66 mm		562049099	157 420	£385.32
	Continuous ringlight Maxi, inner Ø = 150 mm		562049058	157 440	£954.72
	Continuous ringlight darkfield, inner Ø = 66 mm		1.886E-307	157 406	£476.32
	<i>Continuous ringlight darkfield, inner Ø = 66 mm</i>		<i>562049255</i>	<i>157 405</i>	<i>deleted</i>

	Annular mini ring light with adapter for KL200 / 1500 / 2500; inner Ø = 18.5mm	562049366	157 018	£215.28
	Annular mini ring light with adapter for KL200 / 1500 / 2500; inner Ø = 22/25mm	562049374	157 025	£248.56
	Annular mini ring light with adapter for KL200 / 1500 / 2500; inner Ø = 30mm	562049382	157 030	£288.08
	Annular mini ring light with adapter for KL200 / 1500 / 2500; inner Ø = 40mm	562049399	157 040	£316.16
	Annular ring light JUMBO	1007712	257 420	£716.00
7. Lightlines (Cross-section Transformers)	Slit 50 mm x 1.2 mm, with adjustable tilt angle and focusing lens, non-slip, flexible length = 1000 mm, M-PVC	562149007	160 100	£529.36
	Slit 100 mm x 0.6 mm, with adjustable tilt angle and focusing lens, non-slip, flexible length = 1000 mm, M-PVC	562149015	160 110	£560.56
	Slit 200 mm x 0.3 mm, with adjustable tilt angle and focusing lens, non-slip, flexible length = 1000 mm, M-PVC	562149023	160 120	£709.28
Brochure error - Lightlines for KL2500 LCD are 260 130 and 260 135, not 160 130 which is discontinued	Slit 300 mm x 0.3 mm, with adjustable tilt angle and focusing lens, non-slip, flexible length = 1000 mm, M-PVC. For KL2500 LCD Only	562149031	260 130	£813.79
	Slit 300 mm x 0.3 mm, with adjustable tilt angle and focusing lens, non-slip, flexible length = 1500 mm, M-PVC. For KL2500 LCD Only	1007708	260 135	£934.48
8. Focusing lens and filter	Focusing lens and filter set	562440059	158 200	£92.56
	Polarization filter (to fit focusing lens)	562440075	158 205	£44.20
	Focusing lens without filter (to fit goose neck and flexible light guides up to Ø = 5 mm)	562440083	158 210	£22.36
	Daylight filter for focusing lens	562442335	158 211	£14.56
	Polarization filter set for continuous ringlight, inner Ø = 66 mm	562441047	158 430	£210.60
	Polarization filter set for continuous ringlight, inner Ø = 58 mm	562441063	158 440	£210.60
	Focusing lens without filter for light guides up to Ø = 8 mm	1.641E-307	158 215	£52.41
	Polarization filter for focusing lens; twistable for light guides up to Ø = 8 mm	-	158 206	£31.72

	Focusing Lens without filter for light guides Ø 12 + 15mm		562442602	258 210	£99.31
	Polarization filter for focusing lens; twistable for light guides up to Ø 12 + 15mm		-	258 205	£38.62
9. Insert filters only for KL 1500 LCD	Insert filter with holder - Blue	blue	562442865	158 302	£23.92
	Insert filter with holder - Red	red	562442873	158 303	£15.08
	Insert filter with holder - Green	green	562442881	158 304	£15.08
	Insert filter with holder - Yellow	yellow	562442898	158 305	£15.08
	Daylight filter with holder		562442902	158 306	£15.08
10. Insert filters for KL 1500 LCD and for KL 2500 LCD	Insert filter, Ø = 28 mm - Blue	blue	562443064	258 302	£33.28
	Insert filter, Ø = 28 mm - Red	red	562443072	258 303	£17.16
	Insert filter, Ø = 28 mm - Green	green	562443089	258 304	£17.16
	Insert filter, Ø = 28 mm - Yellow	yellow	562443097	258 305	£17.16
	Daylight filter, Ø = 28 mm		562443101	258 306	£20.80
11. Objective lens adapter for 4-point ringlight and continuous ringlight, inner Ø = 66 mm	LEICA GZ6, MZ8, M10, MZ12, MZ APO			No adapter required	
	LEICA M1 - M7 (when using an objective cover glass)		562440597	157 421	£28.97
	LEICA macroscope		562440601	157 422	£23.92
	LEICA M1 - M7		562440256	157 450	£21.32
12. Objective lens adapter for continuous ringlight, inner Ø = 58 mm	LEICA M1 - M7			No adapter required	
	ZEISS Stemi 1000, 2000, SV6, SV11			Delivery through ZEISS	
13. Objective adapter for continuous ringlight Maxi	Holder, inner Ø = 58 mm		562441696	157 445	£129.48
14. Objective adapter for IL/DF (ref. no. 157 405) to fit Ø = 58 mm and GZ6	ZEISS Achromat S	1.0 x	562442051	157 550	£70.72
	ZEISS Achromat S	1.6 x	562442405	157 549	£70.72
	ZEISS Achromat S	2.5 x	562442068	157 551	£70.72
	ZEISS Duo DS	1.0 x	562442051	157 550	£70.72
	ZEISS Plan S	1.0 x	562442051	157 550	£70.72
	ZEISS Planapo	1.0 x	562442105	157 555	£46.28
	ZEISS Planapo	1.6 x	562442154	157 564	£70.72
	LEICA Achromat M3	1.0 x	562442076	157 552	£41.60
	LEICA Achromat M3	1.5 x	562442076	157 552	£41.60
	LEICA Achromat M3	2.0 x	562442084	157 553	£36.92
	LEICA Achromat GZ6	2.0 x	562442092	157 554	£46.28
15. Objective adapter for IL/DF (ref. no. 157 405) to fit Ø = 66 mm	LEICA Planachromat M3Z	1.0 x	562442113	157 560	£70.72
	LEICA Planapo M3C, MZ8	1.0 x	562442121	157 561	£70.72
	LEICA Plan M3Z, MZ8	1.0 x	562442138	157 562	£70.72

	LEICA Planapo M10, MZ12, MZ APO (old version)	1.0 x	562442138	157 562	£70.72
	LEICA Planapo M10, MZ12, MZ APO (new version)	1.0 x		157 567	£64.83
	LEICA Planapo M10, MZ12, MZ APO	1.6 x		No adapter required	
	LEICA Planapo M3C, MZ8	1.6 x		No adapter required	
	LEICA Planachromat M3Z, MZ8	1.6 x		No adapter required	
	LEICA GZ6	---	562442146	157 563	£46.28
16. Clamp for continuous ringlight, inner Ø = 58 mm and 66 mm	Clamp for continuous ringlight to fit articulating arm		562440618	157 430	£55.64
17. Holder for flexible light guides	Holder for flex. light guide up to Ø = 5 mm, to fit articulating arm with attachment screw M6		562441996	158 330	£40.00
	Holder for flex. light guide for Ø = 8 mm, to fit articulating arm with attachment screw M6		562442035	158 335	£40.00
	Holder for flex. light guide for Ø = 12 and 15 mm, to fit articulating arm with attachment screw M6		562440618	157 430	£55.64
	Holder for focusing lens with attachment screw M6		562442421	158 341	£33.79
	Articulating arm, l = 200 mm, with 2x attachment screw M6		562442043	158 345	£115.44
	Base for articulating arm, outer Ø = 100 mm, with 3x attachment winding M6		562442162	158 340	£42.12
18. Replacement lamp and fuses for KL 1500 LCD	Halogen reflector bulb 15 V / 150 W		562440042	153 000	£17.68
	Fuse for 230 V	primary: T2H, 250 V	562443426	153 105	£2.60
	Fuse for 120 V	primary: T4 A	562441039	153 103	£2.60
19. Replacement lamp and fuses for KL 2500 LCD	Halogen reflector bulb 24 V / 250 W		562443159	253 000	£18.72
	Fuse for 230 V	primary: T3.15H, 250 V	562443167	253 101	£2.60
	Fuse for 120 V	primary: M6.3 A	562443175	253 103	£2.60
20. Fluorescence filter for KL1500LCD and KL2500LCD	Insert filter ø 28mm, blue (485nm)		563443142	258 313	£220.48
	Insert filter ø 28mm, green (515nm)		562443134	258 314	£158.08
21 Light Guide Adaptor	Adaptor to connect Volpi, Photonic and Schott Fostec light guides to Schott KL1500 electronic, KL1500 LCD and KL2500 LCD		562442446	158 320	£52.41
22 Electronic Accessories for KL2500 LCD only	Y piece for simultaneous operation of tilt switch (P/N 258 403) and remote control (P/N 258 402)	258 400	562443204	258 400	£59.28
	Cable extension for electronic accessories cable length 10m		562443212	258 401	£89.44
	Remote control (analog) for external control of light intensity. Cable length 3m.		562443229	258 402	£99.84
	Tilt Switch		562443237	258 403	£97.76

23 Forensic Kit (Fingerprints)	Consisting of : Green and blue excitation filter, cut-off filter & cut-off filter goggles in red and yellow.	562442705	258 450	£851.55
24 Transmitted light stage TL	Transmitted light stage for flexible light guides. Diameter 84mm. For light guides up to ø 5mm	562443253	122 150	£63.44
25. Polarizing kit for transmitted light stage	Polarizing filter attachment for transmitted light stage; twistable	1.641E-307	158 500	£49.66
	Analyzer M49 x 0,75; type CZ; for polarizing filter attachment	1007694	158 505	£36.55
	Analyzer M52 x 1; type LEICA; for polarizing filter attachment Other analyzers via local dealer	1.641E-307	158 510	£38.62
26. Flashport	Flashport with integrated filterholder and port for Metzblitz	1.669E-307	300 100	£480.69
	Bifurcated light guide for Flashport, M-PVC flex. length approx. 700 mm	1.841E-307	300 201	£335.17

All products offer subject to availability and revision and are offered on behalf of Galvoptics Ltd

Minimum order value:

£100.00 excluding VAT

Prices:

Net, before VAT

Terms

All orders are subject to the terms and conditions for delivery and payment of Galvoptics Ltd

Special light guides:

Available upon request

GALVOPTICS LTD

Harvey Road

Burnt Mills Industrial Estate, Basildon Essex, SS13 1ES. UNITED KINGDOM

Tel: +44 1268 728077

www.galvoptics.fsnet.co.uk

e-mail: sales@galvoptics.fsnet.co.uk